



239.00 EUR

incl. 19% VAT, plus shipping

- High brightness!
- 400 nits!
- Slim design!
- Perfect for MiniMac!

Support: T Drawing (PDF) | 800x480 Driver (Windows 7)

**New**: LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

A bargain display, but with many features:

- Long All-In-One connector-cable
- High brightness (400 nits)
- Many accessoiries
- rear camera input

Driver-CD included, compatible with:

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat, Mandrake,...
- Macintosh OS 9.x, 10.x
- DOS,..



| Screen size           | /" digital   |
|-----------------------|--|
| Aspect Ratio          | 16:9 wide TFT screen   |
| Dot Resolution        | 2400x480= 1,152,000 dots   |
| Physical Resolution   | 800x480  |
| Supported Resolutions | 640x480-1900x1200 (also eg. 1366x768)  |
| Color configuration   | RGB stripe   |
| Power input           | DC 12V   |
| Power consumption     | max. 8W  |
| Video system          | 3x Video inputs (PAL/NTSC) 1x VGA input  |
| Dimensions            | Display Case : 178x130x27 mm Display : 154 x 93 mm Headrest Mounting : 203x151x27 mm |
| Video input signal    | Video input signal: 1.0Vp-p, composite video   |
| Brightness            | 400 cd/m <sup>2</sup>  |
| Contrast              | 500:1  |
| Vibration             | EC68-2-6   |
| Operating Temperature | 0° to 70°C   |
| Features              | Full function OSD control (englisch)   |
|                       | Built-in speakers  |
|                       | Auto Power On/Off  |
|                       | Automatic switching to rear camera (by a 12V cable)                                  |
| What is included?     | 7" VGA TFT with Video-support  |
|                       | Infrared Remote Control  |
|                       | Car dash mounting bracket  |
|                       | Head rest shroud   |
|                       | VGA/Video/Audio/Power-cable (all-in-one !) 2,5 meters length                         |
|                       | Power Adapter f. EU 230V   |
|                       | Cigarette Lighter Adapter  |
|                       | - Manual   |



Displays with  $\underline{\text{True-800x480-Support}}$  achieve a pixel accurate view at 800x480@70Hz







[http://www.cartft.com/catalog/il/527]